

INDUSTRIES LTD SAFETY DATA SHEET

Section 1: Identification of the Substance/Mixture and of Supplier

Product name: PH DECREASE TABLETS 200GM

Recommended use: Used to decrease the PH in water

Supplier: Space Industries Limited

Street Address: 160 Plunket Ave,

Wiri, Auckland New Zealand

Telephone Number: + 64 9 262 3902 **Facsimile:** + 64 9 262 3948

E-mail: orders@spaceindustries.co.nz
Website: www.spaceindustries.co.nz
Emergency Telephone 0800 764 766 (all hours)

Date of preparation: February 2021

Section 2: Hazards Identification



Hazchem: WARNING - Non hazardous

ERMA Approval Code: HSR006577

Hazard Classification: 6.1D (oral), 6.3A, 6.4A, 6.5B (contact), 9.3C

Section 3: Composition/information on ingredients

Product Description: Used to decrease the PH in water.

White 200am tablet

Components SODIUM BISULPHATE – in a non hazardous diluent

CAS Number 7681-38-1 **Proportion** 99%

Section 4: First Aid Measures

Show this Safety Data Sheet to a Doctor

Inhalation: Remove victim from exposure to fresh air. If breathing difficult, apply artificial respiration

as needed. Seek medical attention

Skin Contact: Remove contaminated clothing. Wash affected area with soap and plenty of water. If

irritation persists, seek medical attention



INDUSTRIES LTD SAFETY DATA SHEET

Eye Contact: Immediately flush eyes with plenty of water holding eyelids open. Seek medical attention.

Ingestion: Do NOT induce vomiting. Wash out mouth with water and give plenty of water to drink.

Seek medical attention.

Notes for the Doctor: Treat symptomatically.

No information available on medical conditions which are aggravated by exposure to this product. However, in contact with water the product forms sulphuric acid that can cause

burns.

For advice, contact the Poisons Information Centre 0800 764 766 or a doctor

Section 5: Fire Fighting Measures

Specific Hazards: Non-combustible solid. Avoid generating dust. Incompatible with water and sources of

ignition. Poisonous sulphur dioxide vapours form when heating to decomposition. In contact with water, the product hydrolyses and forms an acid solution which is corrosive. Watery solution corrodes metals with release of hydrogen which is a flammable gas and

forms an explosive mixture with air.

Suitable Extinguishing

In case of fire, use appropriate extinguishing media most suitable for surrounding fire conditions. Never use a water spray.

Media: conditions. Never use a water spray

Fire-fighting advice: Fire fighters should wear a self contained breathing apparatus and full protective clothing

along with protective equipment.

Section 6: Accidental Release Measures

Emergency Procedures Personnel involved in the clean up should wear full protective clothing. Eliminate all

sources of ignition. Increase ventilation. Avoid generating dust. Ensure that walking surfaces are not slippery before walking on them. Do not allow product to reach drains, sewers or waterways. If the product does enter a waterway, advise the Environmental Protection Authority or your local Waste Management Authority. Use spark-proof tools

and equipment.

Methods and Materials for Containment and Clean Up

Contain and sweep/shovel up spills with dust binding material or use an industrial vacuum cleaner. Transfer to a suitable, labelled container and hold for safe disposal. Do NOT rinse away with water.

Section 7: Handling and Storage

Handling: Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and recommended procedures. Wash thoroughly after

handling. Take precautionary measures against static discharges by bonding and

grounding equipment.

Storage:

Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use.

Inspect regularly for deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials including water and sources of ignition.

Protect from moisture.

Section 8: Exposure Controls/Personal Protection

Occupational Exposure No value assigned for this specific material by the New Zealand Occupational Safety and



SAFETY DATA SHEET

Limits: Health Service (OSH).

Engineering Control

Measures:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the

general work area..

Personal Protective

Equipment:

Safety glasses with side shields.

PVC gloves

Wear safety footwear

Overalls.

Section 9: Physical and Chemical Properties

Physical state:

Colour: Odour: Tablet White Odourless 1080g/L

Solubility in water (g/L): Volatile Component (%vol):

Volatile Component (%vol):

Relative Vapor Density(air=1):

Not applicable

Not Applicable

pH (as supplied)::

1.3 (1.2% solution)

Specific Gravity (water=1):

1.4-1.5kg/L (Water = 1

Section 10: Stability and Reactivity

Stability:

Product is stable under normal conditions of use, storage and temperature.

Conditions to Avoid

Avoid excessive heat, dusty conditions, static discharges, moisture and high

temperatures.

Incompatible Materials

Incompatible with water and sources of ignition.

Hazardous Decomposition

Products

In contact with water, the product decomposes with the formation of sulphuric acid

(corrosive).

Section 11: Toxicological Information

Ingestion:

Ingestion may cause irritation of the digestive tract.

Eye contact:

Risk of serious damage to eyes.

Skin contact:

Highly irritating to skin, particularly in humid state

Inhalation:

Inhalation of product dust irritates the airways.

Section 12: Ecological Information

Environmental fate: persistence and degradation:

Avoid contaminating waterways.

PH Decrease Page 3 of 4 February 2021



INDUSTRIES LTD SAFETY DATA SHEET

Section 13: Disposal Considerations

- Recycle wherever possible. Special hazard may exist specialist advice may be required.
- Consult approved Waste Management Company for disposal options.
- Treat and neutralise residue at an approved site.
- Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.
- Puncture containers to prevent re-use and bury at an authorised landfill.

Section 14: Transport Information		
Road and Rail Transport:	HAZCHEM: None NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:UN, IATA, IMDG	

Section 15: Regulatory Information	
Classification:	6.1D, 6.3A. 6.4A, 6.5B, 9.3C

Section 16: Other Information

.Issue Date: 11 April 2017

Note: All information given by Space Industries Ltd is offered in good faith and is, to the best of our knowledge, true and accurate. However, since conditions of use are beyond our control, all information relevant to usage is offered without warranty or guarantee and should not be construed as a representation that the product is suitable for any particular purpose or application.